

# The Supertanker™ Package



**Dixon Bayco**

A DIXON COMPANY

**Betts**  
INDUSTRIES, INC.

# Bottom Load System Problems Keeping You Awake? Our simple guarantee let's you rest easy.

*Every last valve, vent, adapter, sensor . . . the complete package.*

The Supertanker™ package from Betts and Dixon Bayco has all the reliable, high performance, bottom loading equipment you want plus something you really need. A three year warranty that covers materials and workmanship on all components installed on your new tanker as shown on our supertanker selection check list below. From the "overflow system" to the manholes and every valve, vent, adapter, gravity coupler and dust cap. The only exceptions are seals and wear surfaces, where life expectancy is highly dependant on material being hauled.

And there is more with Supertanker™, you get a level of service our competitor's simply can not match. If there is a concern with your new bottom loading system, call us and we will look after it, period! We will come on-site if needed to solve any problems. And you will always have access to our experienced engineering team staffed with tanker experts. We'll even help with competitor's systems. Our goal is your satisfaction.

Call your Betts or Dixon Bayco representative today, or visit us online at [www.supertankerweb.com](http://www.supertankerweb.com) or use our simple one-page specification check list below. Just check off the equipment you need and tell your tank builder you want Supertanker™.

## Want the World's Best Bottom Loading Package? Check this out...

	<b>Supertanker™ Package</b>	<b>Brand "C"</b>
Limited 3-year warranty	<input type="checkbox"/>	<input checked="" type="checkbox"/>
3-year warranty on complete system	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Genuine Betts manholes and emergency valves	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Proven most reliable overflow detection	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Patented high-flow API valve	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Overflow socket nose ring guaranteed for life	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Patented, easy-maintenance dual socket assembly	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Highest flow vapor vents	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Genuine Betts internal valves with Teflon® seals	<input checked="" type="checkbox"/>	<input type="checkbox"/>
System components specifically designed to work together	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Complete air operated valve system	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Corrosion resistant bronze air interlocks	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Low-weight dust caps and gravity couplers	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Widely accepted by fleets and OEM's	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Now you do not have to sacrifice the high-performance bottom loading system you really want just to get the convenience of an easy-to-specify package.

# Supertanker™ Complete Bottom Loading Package

1. Check each product you need from the list below; be sure to specify particulars when required.
2. Fax the completed list to your Betts or Dixon Bayco representative.
3. We will handle the rest, including contacting your tank manufacturer and registering your Supertanker™ warranty.

**Fleet Name / Contact:** \_\_\_\_\_

**Number of Compartments:** \_\_\_\_\_

**Number of Trailers Ordered:** \_\_\_\_\_

## DOT 406 Manholes

- 16" Offset PAF 406-98 PPVL816BXB  16" Center PAF 406-98 PPVL820BXB

## Emergency Valves

- 4" Elbow Air Operated EV46911ALTS  4" Straight Air Operated EV46909ALTS

## Vapor Vents

- 16" SQ Vent, Betts AV46855ALTS  20" SQ Vent, Betts AV46850ALTS  
 16" SQ High Flow, Bayco VR6030SQ  20" SQ High Flow, Bayco VR6035SQ  
 16" Non SQ Vent, Betts AV46864ALTS  20" Non SQ Vent, Betts AV46865ALTS

## Operators

- Air Distributor 20930  Remote Control, Air FP15017BR

## API Valves

- 4" Load / Unload, with Sight Glass, Bayco 5204  4" Load / Unload, with Sight Glass and removable handle (Canada), Bayco 5204C  
 4" Unload Only, without Sight Glass, Bayco 5204LNG  4" Load / Unload, without Sight Glass and with removable handle (Canada), Bayco 5204NGC  
 4" Load / Unload, without Sight Glass, Bayco 5204NG

## API Gravity Drop Adapters and Caps

- Drop Adaptor with 4" Male Outlet, Bayco 4540  Drop Adaptor with 3" Male Outlet, Bayco 4530  
 Drop Adaptor with 4" Male Outlet and Sight Glass, Bayco 4502ASSM  4" API Cap Lightweight, Bayco 5000-25  
 4" API Cap Aluminum, Bayco 5000-24

## Vapor Valves and Caps

- 4" NPT with Poppet, Bayco VR4100  4" NPT without Poppet, Bayco VR4100NP  
 4" TTMA High Flow, Bayco VR4000  4" Dust Cap Aluminum, Bayco VR4050AL  
 4" Dust Cap Lightweight, Bayco VR4050PL

## Air Interlock Valves

- With Round Button for API, Bayco 5000AI  With Roller Tip for Bars and Gates, Bayco 5000AIR  
 With Foot Button for Vapor Valve, Bayco 5000AIV  With I.S. Switch for Overfill Interlock, Bayco 5000AIS

## Overfill Detection Systems

- CheckMate Top Only with EZCept, FloTech FT2800 Series + FT390  
 CheckMate Retain Overfill with EZCept, FloTech FT2810 Series + FT390  
 API Compatible 5-Wire System with EZCept, FloTech FT1000 Series + FT390



**Betts Industries, Inc.**

P.O. Box 888, Warren, PA 16365

Phone: 814-723-1250

Fax: 814-723-7030

[www.bettsind.com](http://www.bettsind.com)

# Dixon Bayco

A DIXON COMPANY

**Dixon Bayco USA**

800 High Street, Chestertown, MD 21620

Customer Service: 410-778-2002 • 800-355-1991

Fax: 410-778-4702 • 800-283-4966

Technical hotline: 877-582-3569

**Dixon Bayco Limited**

2315 Bowman Street

Innisfil, Ontario Canada L9S 3V6

Customer Service: 705-436-1125 • 800-355-1991

Fax: 705-436-6251 • 877-436-6251

[www.dixonbayco.com](http://www.dixonbayco.com)



*The Right Connection™*

Through its divisions and affiliated companies, Dixon is recognized as the premier manufacturer and supplier of hose fittings and accessories spanning a wide range of industrial uses. Dixon's reach includes products for food, dairy processing, beverage and brewery, mobile tankers, mining, construction, chemical processing, petroleum, oilfields, refining, nuclear and manufacturing.